


		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.276	134
No. OF BOLTS		10	10
THREAD / THRO' HOLE		0.413	10.5
CROWN WHEEL SPIGOT DIA	D2	4.5288	115
BEARING DIA	D3	1.626	41.3
	D3/A	1.6142	41
BEARING DISTANCE	L1	4.292	109.1
SPIGOT LENGTH	L2	1.332	33.8
	L2/A	1.450	36.8
OVERALL LENGTH	L3	7.074	179.7
BEARING/CROWN WHEEL	L4	0.453	11.5
BORE	D4	1.202	30.5
DRIVE SHAFT SPLINE:-			
No. OF TEETH		37	
PITCH		32/64 DP	
TYPE		FILLET ROOT	SIDE FIT
PRESSURE ANGLE		30 DEG	



TITLE R.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF8Q

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RUTLAND TECHNOLOGIES LTD. AND MAY NOT BE USED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 16.5.05	
DRAWN BY. M.L.M.	
Used In. AUDI 01E	